

CFG Profile Cylinders

- Brass body
- Polished brass or nickel plated finish
- 6 pin
- Anti-drill
- 3 keys per cylinder
- Manufactured to ISO 9001



Our CFG cylinders are of high quality and reliability; they have been tested to BS EN 1303 achieving Grade 6 classification.

CFG brass cylinders are available with polished brass or nickel plated finish. Key to differ, keyed alike, keyed alike pairs, knob operated and half cylinders are all available.

- Key to differ: each cylinder has a different key
- Keyed alike: each keyed alike cylinder uses the same key
- Keyed alike pairs: two cylinders supplied with the same key. Ideal for double doors. Each pair has a different key
- Knob operated: key is used on the external face, on the inside, a knob is used to turn the cylinder



All of the CFG cylinders are supplied with 1 x M5 x 40mm fixing bolt and 3 x keys. The cylinder is 'open profile' allowing keys to be cut without restriction. Key blanks are available if further keys are required.

Key Blank:
CYKEYBLANK.
Key Blank for CFG Profile Cylinders.

Box Quantities:
Key to differ, keyed alike and knob cylinders, 10 per box.
Keyed in pairs, 5 pairs per box.

Category of Use	Durability	Door Mass	Fire Resistance	Safety	Corrosion & Temperature	Key related security	Attack Resistance	BS EN 1303 Classification
1	6	0	0	0	C	5	2	Grade 6



Description	Nickel Part Code	Polished Brass Part Code	Box Qty
Key to Differ			
35/35	CY35/35N	CY35/35B	10
35/45	CY35/45N	CY35/45B	10
35/55	CY35/55N	CY35/55B	10
40/40	CY40/40N	CY40/40B	10
40/45	CY40/45N	CY40/45B	10
40/50	CY40/50N	CY40/50B	10
40/55	CY40/55N	CY40/55B	10
40/60	CY40/60N	CY40/60B	10
45/45	CY45/45N	CY45/45B	10
45/50	CY45/50N	CY45/50B	10
45/55	CY45/55N	CY45/55B	10
50/50	CY50/50N	CY50/50B	10

Description	Nickel Part Code	Polished Brass Part Code	Box Qty
Keyed Alike in Pairs			
35/35	CY35/35NPAIR	CY35/35BPAIR	5
35/45	CY35/45NPAIR	CY35/45BPAIR	5
35/55	CY35/55NPAIR	CY35/55BPAIR	5
40/40	CY40/40NPAIR	CY40/40BPAIR	5
40/45	CY40/45NPAIR	CY40/45BPAIR	5
40/50	CY40/50NPAIR	CY40/50BPAIR	5
40/55	CY40/55NPAIR	CY40/55BPAIR	5
40/60	CY40/60NPAIR	CY40/60BPAIR	5
45/45	CY45/45NPAIR	CY45/45BPAIR	5
45/50	CY45/50NPAIR	CY45/50BPAIR	5
45/55	CY45/55NPAIR	CY45/55BPAIR	5
50/50	CY50/50NPAIR	CY50/50BPAIR	5

Description	Nickel Part Code	Polished Brass Part Code	Box Qty
Keyed Alike			
35/35	CY35/35NKA	CY35/35BKA	10
35/45	CY35/45NKA	CY35/45BKA	10
35/55	CY35/55NKA	CY35/55BKA	10
40/40	CY40/40NKA	CY40/40BKA	10
40/45	CY40/45NKA	CY40/45BKA	10
40/50	CY40/50NKA	CY40/50BKA	10
40/55	CY40/55NKA	CY40/55BKA	10
40/60	CY40/60NKA	CY40/60BKA	10
45/45	CY45/45NKA	CY45/45BKA	10
45/50	CY45/50NKA	CY45/50BKA	10
45/55	CY45/55NKA	CY45/55BKA	10
50/50	CY50/50NKA	CY50/50BKA	10

Thumb Turn Cylinders

Description	Nickel Part Code	Polished Brass Part Code	Box Qty
Thumb Turn Cylinders (K denotes side of thumb turn)			
K35/35	CYK35/35N	CYK35/35B	10
K35/45	CYK35/45N	CYK35/45B	10
K45/35	CYK45/35N	CYK45/35B	10
K35/55	CYK35/55N	CYK35/55B	10
K40/40	CYK40/40N	CYK40/40B	10
K40/45	CYK40/45N	CYK40/45B	10
K45/40	CYK45/40N	CYK45/40B	10
K40/50	CYK40/50N	CYK40/50B	10
K50/40	CYK50/40N	CYK50/40B	10
K40/55	CYK40/55N	CYK40/55B	10
K40/60	CYK40/60N	CYK40/60B	10
K60/40	CYK60/40N	CYK60/40B	10
K45/45	CYK45/45N	CYK45/45B	10
K45/50	CYK45/50N	CYK45/50B	10
K50/45	CYK50/45N	CYK50/45B	10
K45/55	CYK45/55N	CYK45/55B	10
K55/45	CYK55/45N	CYK55/45B	10
K50/50	CYK50/50N	CYK50/50B	10

Half Cylinders

Description	Nickel Part Code	Polished Brass Part Code	Box Qty
Half Cylinders			
35/10	CY35/10N	CY35/10B	10
45/10	CY45/10N	CY45/10B	10
50/10	CY50/10N	CY50/10B	10

How to select your cylinder

How to achieve TS 007 accreditation



Your Simple Cylinder Selector

	CFG	CFG1*	CFG3*
Product Features			
Anti-Snap			Y
Anti-Pick		Y	Y
Anti-Bump		Y	Y
Anti-Plug Extraction		Y	Y
Anti-Drill	Y	Y	Y
Pins	6	6	6
Keys Supplied	3	3	3
Guarantee	10 Years	10 Years	10 Years
EN 1303:2015	Y	Y	Y
PAS 24		Y †	Y
TS 007		1*	3*
British Standard Kitemark		Y	Y
Secured by Design			Y
Keyed Alike	Y	Y	Y
Keyed Alike Pairs	Y	Y	Y
Thumb Turn	Y	Y	Y
Half Cylinders	Y	Y	Y

†If used with 2* handle