


FUHR 856

Type 6 French Door Lock



- Comprehensive range
- High security option
- FUHR silver corrosion resistant surface finish
- Profile related locking plates

There are numerous options for French Door locking within the FUHR range, the 856 Type 6 is the most popular option recommended by Carl F Groupco.



Description	Part Code	Min Height (mm)	Max Height (mm)	Extended (mm)	Box Qty
Master Door Option: 960mm Handle Height					
E 856 Type 6 Bottom Section 35mm, 1 Hook, 2 Roller, 1 Shootbolt	M63520R450	1800	2100	2500	5
F Top Hook and Shootbolt Extension	MAO673GSAX				20
Slave Door Option					
O 856V Slave Door Centre Section 35mm	M6352V06SX				5
H Reverse Action Top Shootbolt	MAO60686VGAX				10
J Bottom Shootbolt Extension	MAU60570V9X				10
Extension No Roller	DXVL400				50

NB: 1020mm handle height is also available.

French Door Handles

Page 107


FUHR French Door

Master Options


MECHANICAL
GUARANTEE
10
YEARS

FUHR®


Option 1




Option 2



Option 3



Option 4



Description

Part Code

Min Height

Max Height

Extended

Box Qty

Option 1

Handle Height: 1020mm

A	856 Type 10 Compact Lock for Tall Doors – 35mm	M6352DB0SJ	2060	2170	2570	5
B	Reverse Action Top Shootbolt	MV150186S				50
C	Bottom Shootbolt Extension	MV15018B6S				50

Option 2

Handle Height: 1020mm

D	856 Type 10 Compact Lock for Short Doors – 35mm	M6352DC0SJ	1850	2170	2570	5
B	Reverse Action Top Shootbolt	MV150186S				50
C	Bottom Shootbolt Extension	MV15018B6S				50

Option 3

Handle Height: 960mm

E	856 Type 6 Bottom Section 35mm, 1 Hook, 2 Roller 1 Shootbolt	M63520R4S0	1800	2100	2500	5
F	Top Hook and Shootbolt Extension	MAO673GSAX				20

NB: 1020mm handle height is also available.

Option 4

Handle Height Min: 960mm Max: 1020mm

G	856 Type 3 – 35mm 2 Hook, 2 Roller	M6352D64S0	1715	2095	-	5
---	------------------------------------	------------	------	------	---	---

NB: 1020mm handle height is also available.

FUHR French Door

Slave Options


MECHANICAL
GUARANTEE
**10
YEARS**

FUHR®


Carl F
Groupco

glonbo
Call:


Option 1



Option 2



Option 3



Description

Part Code

Min Height

Max Height

Extended

Box Qty

Option 1

No Handle Required

Description	Part Code	Min Height	Max Height	Extended	Box Qty
U Finger Operated Shootbolt – 16mm (2 required)	2002001	-	-	-	200

Option 2

Handle Height Min: 860mm Max: 1020mm

Description	Part Code	Min Height	Max Height	Extended	Box Qty
O 856V Slave Door Centre Section – 35mm	M6352V06SX	1690	2155	2520	5
H Reverse Action Top Shootbolt	MAO60686VGAX				10
J Bottom Shootbolt Extension	MAU60570V9X				10
L Extension No Roller	DXVL400				50

Option 3

Slave Only

Description	Part Code	Min Height	Max Height	Extended	Box Qty
S 1600mm Slave Door Espag 1600 – 1900mm	DXPM16V	1590	1910	-	10
S 1900mm Slave Door Espag 1900 – 2200mm	DXPM19V	1890	2210	2610	10
T Concealed Slave Door Handle	DXPMC95				25
C Bottom Shootbolt Extension (2 Required)	MV15018B6S				50