


**RECOMMENDED HARDWARE ACCESSORIES:**

**ONE PIECE KEEP:  
LH - YMK13-09L-005  
RH - YMK13-10R-005**

**SHOOTBOLT SET:  
PLSB88-19**

Revision	Description	Date
3	KEEP PREP DETAIL MODIFIED & DRAWING DESCRIPTION UPDATED (AK)	2021-06-28
4	SECONDARY DIM PAGE ADDED (RC)	2022-04-12



LOCK CODE	FINISH
YM04-35H-005-19	(-19) TRIKLAD
YM04-35H-005-27	(-27) NATURAL


ITEM NO.	PART NUMBER	DESCRIPTION	qty
1	YM04F-C005HK	YM04 FACEPLATE - CENTRE HK, 2 HK & LINEAR BOLT	1
2	YL2135HK	35mm BACKSET, UNSPRUNG, HOOK, TWIN FOLLOWER CENTRE	1
3	PLM20-SA01M	HOOK & DEADBOLT END UNIT	2
4	YM04T-C001-19	TOP INBOARD ROD	1
5	YM14B-C001-19	BOTTOM INBOARD ROD	1
6	YM04R-C001-19	TOP OUTBOARD ROD	1
7	YM14R-C001-19	BOTTOM OUTBOARD ROD	1
8	PL10-C181-19	M4 x 10MM T/TITE, TORX SCREW	6
9	PL10-C180-19	M4 x 8 TORX CSK	1
10	PL10-C106-19	ROD RIVET	2

SEE FOLLOWING PAGES FOR DIMENSIONAL SPEC. & ROUTING DETAILS

Surface: SEE COMPONENT DETAIL			Material: SEE COMPONENT DETAIL			General tolerance: LIN: +/- 0.1mm ANG: +/- 0 Deg 30 Min		
Volume: 322562.35 mm³	Weight: 2196.22 gram	Surface area: 332102.23 mm²	Created (YYYY-MM-DD): 2021-04-16	Designed by: AK	Drawn by: AK	Scale: 1:4 (A2)	Projection: 	
<b>ASSA ABLOY</b> ASSA ABLOY UK			Industrial Lock YM04 (P1754) CENTRE HK, 35 BS, 2 HK + COMP BOLT (550)			Alternate ID <b>YM04-35H-005</b>		Rev.: <b>4</b>
			Document ID <b>D001173688-000</b>			Configuration: Default		SHEET 1 OF 4


This work is copyright and no part may be reproduced, by any process, nor may any other exclusive right be exercised without the permission of ASSA ABLOY.

This work is copyright and no part may be reproduced, by any process, nor may any other exclusive right be exercised without the permission of ASSA ABLOY.




Surface: SEE COMPONENT DETAIL			Material: SEE COMPONENT DETAIL			General tolerance: LIN: +/- 0.1mm ANG: +/- 0 Deg 30 Min		
Volume: 322562.35 mm <sup>3</sup>	Weight: 2196.22 gram	Surface area: 332102.23 mm <sup>2</sup>	Created (YYYY-MM-DD): 2021-04-16	Designed by: AK	Drawn by: AK	Scale: 1:4 (A2)	Projection: 	
<b>ASSA ABLOY</b> ASSA ABLOY UK			Industrial Lock YM04 (P1754)			Alternate ID <b>YM04-35H-005</b>		
			CENTRE HK, 35 BS, 2 HK + COMP BOLT (550)			Document ID <b>D001173688-000</b>		

This work is copyright and no part may be reproduced, by any process, nor may any other exclusive right be exercised without the permission of ASSA ABLOY.



Surface: SEE COMPONENT DETAIL			Material: SEE COMPONENT DETAIL			General tolerance: LIN: +/- 0.1mm ANG: +/- 0 Deg 30 Min		
Volume: 322562.35 mm <sup>3</sup>	Weight: 2196.22 gram	Surface area: 332102.23 mm <sup>2</sup>	Created (YYYY-MM-DD): 2021-04-16	Designed by: AK	Drawn by: AK	Scale: 1:4 (A2)	Projection: 	
<b>ASSA ABLOY</b> ASSA ABLOY UK			Industrial Lock YM04 (P1754)			Alternate ID <b>YM04-35H-005</b>		
			CENTRE HK, 35 BS, 2 HK + COMP BOLT (550)			Document ID <b>D001173688-000</b>		

This work is copyright and no part may be reproduced, by any process, nor may any other exclusive right be exercised without the permission of ASSA ABLOY.



ROUTING PREP. IS NOT PROFILE SPECIFIC

ONE PIECE KEEP REFERENCE:  
LH - YMK13-09L-005  
RH - YMK13-10R-005

Surface: SEE COMPONENT DETAIL			Material: SEE COMPONENT DETAIL			General tolerance: LIN: +/- 0.1mm ANG: +/- 0 Deg 30 Min		
Volume: 5351115.90 mm <sup>3</sup>	Weight: 13143.53 gram	Surface area: 4912723.46 mm <sup>2</sup>	Created (YYYY-MM-DD): 2021-04-16	Designed by: AK	Drawn by: AK	Scale: 1:4 (A2)	Projection: 	
<b>ASSA ABLOY</b> ASSA ABLOY UK			Industrial Lock YM04 (P1754) CENTRE HK, 35 BS, 2 HK + COMP BOLT (550)			Alternate ID <b>YM04-35H-005</b>		Rev.: <b>4</b>
			Document ID <b>D001173688-000</b>			A2		